

Legacy Controls NOTICE

This article references our legacy Web Forms Web Viewing controls (WebImageViewer, WebAnnotationViewer, WebThumbnailViewer). It is preserved for archival purposes, but support strongly recommends using our modern HTML5 web controls: WebDocumentViewer, WebDocumentThumbnailer instead)

[INFO: WebDocumentViewer Whitepaper - Getting Started With Web Viewing](#)

Main Article Content

ClientTools Objects

The objects shown below are used to represent the System.Drawing structs that are used within the server side portion of the DotImage WebControls.

Usage:

JavaScript

```
/* You will need a reference to ClientTools.js before this snippet. * This reference is
automatically added to the page, inline with the DotImage WebControls, * so placing this
snippet below one of these controls will be sufficient. */
function ClientToolsObjectsExample(){
    // Create a new atalaPoint
    var myPoint = new atalaPoint(20,
    100); // Change the point's values
    myPoint.X = 40; myPoint.Y = 80; // Create a new atalaSize
    var mySize = new atalaSize(320, 200); // Change the size's values
    mySize.Width = 40;
    mySize.Height = 80; // Create a new atalaRectangle
    var myRect = new atalaRectangle(50, 50,
    320, 200); // Change the rectangle's values
    myRect.X = 100; myRect.Y = 100; myRect.Width =
    800; myRect.Height = 600; }
```

atalaPoint

This object mimics the System.Drawing.Point in syntax, for use on the client side.

Constructor

Server Name	JavaScript Syntax	Description
-------------	-------------------	-------------

INFO: ClientTools - JavaScript API Reference (Legacy Web Controls)

N/A	atalaPoint(x : int, y : int)	Creates a new atalaPoint given the coordinates.
-----	-------------------------------------	--

Properties

Server Name	JavaScript Syntax	Description
N/A	X = int	Gets or sets the X coordinate for this atalaPoint .
N/A	Y = int	Gets or sets the Y coordinate for this atalaPoint .

atalaSize

This object mimics the System.Drawing.Size in syntax, for use on the client side.

Constructor

Server Name	JavaScript Syntax	Description
N/A	atalaSize(width: int, height : int)	Creates a new atalaSize given the height and width.

Properties

Server Name	JavaScript Syntax	Description
N/A	Height = int	Gets or sets the height of this atalaSize .
N/A	Width = int	Gets or sets the width of this atalaSize .

atalaRectangle

This object mimics System.Drawing.Rectangle in syntax, for use on the client side.

Constructor

Server Name	JavaScript Syntax	Description
N/A	atalaRectangle(x : int, y :	Creates a new atalaRectangle

INFO: ClientTools - JavaScript API Reference (Legacy Web Controls)

	int , width : int , height : int)	given the height, width, and coordinates.
--	---	---

Properties

Server Name	JavaScript Syntax	Description
N/A	X = int	Gets or sets the X coordinate for this atalaRectangle .
N/A	Y = int	Gets or sets the Y coordinate for this atalaRectangle .
N/A	Height = int	Gets or sets the height of this atalaRectangle .
N/A	Width = int	Gets or sets the width of this atalaRectangle .

ClientTools Methods

Usage:

JavaScript

```
/* You will need a reference to ClientTools.js before this snippet. * This reference is
automatically added to the page inline with the WebControls, * so placing this snippet below
one of these controls will be sufficient. * This example also requires a WebImageViewer to
demonstrate the usage of atalaEventAdd. */// execute this function on page load
atalaInitClientScript(ClientToolsMethodsExample); function ClientToolsMethodsExample(){ // 
Add some event handlers to ZoomChanged, although it's possible to call myOtherZoomEvent //
from myZoomEvent to achieve the same outcome, this demonstrates how multiple functions // can
be added to any event on WebControls. // Current context is usually the keyword 'this'
Atalasoft.Event.Attach(this, WebImageViewer1, 'ZoomChanged', myZoomEvent);
Atalasoft.Event.Attach(this, WebImageViewer1, 'ZoomChanged', myOtherZoomEvent); // Run
offsets example ClientToolsOffsetExample(); // Bind document's mouse click event to get mouse
position on click document.onclick = myClickEvent; } function myZoomEvent(){ // do something
zoom related alert('myZoomEvent: Zoom changed to ' + WebImageViewer1.getZoom()); } function
myOtherZoomEvent(){ // do another thing zoom related alert('myOtherZoomEvent: Zoom changed to
' + WebImageViewer1.getZoom()); } function myClickEvent(e){ // Most browsers pass in an event
object (in this case 'e') // If the given object is null, then it's probably using 'event' if
(!e){ e = event; } // Gets the page based mouse position, taking scroll position into account
var mp = Atalasoft.Utils.getMousePosition(e); alert('Mouse click detected at x:' + mp.X + '
y:' + mp.Y); } function ClientToolsOffsetExample(){ // Even though an object of the name
WebImageViewer1 already exists, it is not a DOM // element, it is an object of type
atalaWebImageViewer. To get the actual container // DOM object, we use getElementById. var
viewerDomObject = document.getElementById('WebImageViewer1'); // Get the offset from the left
```

INFO: ClientTools - JavaScript API Reference (Legacy Web Controls)

```
side of the page. var x = Atalasoft.DOM.getLeftOffset(viewerDomObject); // Get the offset from the top of the page. var y = Atalasoft.DOM.getTopOffset(viewerDomObject); // Alert the current position of the WebImageViewer1 DOM element alert('The WebImageViewer1 DOM element is ' + x + ' pixels from the left, and ' + y + ' pixels from the top.'); }
```

Server Name	JavaScript Syntax : Return value	Description
N/A	Atalasoft.Event.Attach (context : object , target : object , name : string , event : function) atalaEventAdd (context : object , target : object , name : string , event : function)	<p>Appends a given <i>function</i> to be executed on the <i>target</i> object when the event <i>name</i> fires within the current <i>context</i>.</p> <p>Please see above example for syntax.</p>
N/A	Atalasoft.Utils.getMousePosition (event : object) : atalaPoint atalaGetMousePosition (event : object) : atalaPoint	<p>getMousePosition: get the mouse position from the event object passed in. Actual mouse position is added to the current scroll position (if any), to get true page based position. CSS1 compatibility mode is also supported.</p> <p>Expected input: browser created mouse event object.</p> <p>Note: This method does not sanity check the input object for performance reasons.</p>
N/A	Atalasoft.DOM.getLeftOffset (domElement : object) : int atalaGetLeftOffset (domElement : object) : int	<p>getLeftOffset: Gets the number of pixels on the X-axis from the given object to the top of the DOM tree recursively.</p>
N/A	Atalasoft.DOM.getTopOffset (domElement : object) : int atalaGetTopOffset (domElement : object) : int	<p>getTopOffset: Gets the number of pixels on the Y-axis from the given object to the top of the DOM tree recursively.</p>

INFO: ClientTools - JavaScript API Reference (Legacy Web Controls)

	: object) : int	
N/A	Atalasoft.Utils.InitClientScript(function : string) atalaInitClientScript(function : string)	InitClientScript(function or script to be executed when the page has finished loading. Expected input: function or string of JavaScript.
N/A	Atalasoft.Utils.UrlDecode(value : string) : string atalaUrlDecode(value : string) : string	Returns a decoded string that was url encoded with atalaUrlEncode.
N/A	Atalasoft.Utils.UrlEncode(value : string) : string atalaUrlEncode(value : string) : string	Returns an encoded string , so that it can be used in a url.

Original Article:

Q10358 - INFO: ClientTools - JavaScript API Reference (Legacy Web Controls)

Atalasoft Knowledge Base

<https://www.atalasoft.com/kb2/KB/50129/INFO-ClientTools-JavaScript-API-Ref...>