

# HOWTO: Delete Annotations In WebDocumentViewer (WDV)

## Background

WebDocumentViewer annotation controller has a function to delete a given annotation.

[deleteFromPage\(pageIndex, annoIndex\)](#)

usage: assumes your WebDocumentViewer object is named `_viewer`

```
var pageIndex = _viewer.getCurrentPageIndex(); var annotationIndex = 0; // first annotation on the page for simplicity _viewer.annotations.deleteFromPage(pageIndex, annotationIndex);
```

The difficulty is that in order to delete an annotation, you need to know two things, `pageIndex` and `annoIndex` (within the page)

**pageIndex** - the pages in WDV are zero index so first page is 0, second is 1, and so on. This is the page the specific annotation lives on

**annoIndex** - the annotations within the page, again 0 indexed, so the first annotation is index 0, the next is 1 and so on) within the page in question where the annotation appears

What can make this difficult/frustrating is that while there is a way to ask "given this annotation, what page is it on" but not "what is its index within that page"

However, lets back up one second. In order to do any of this we need to have a working annotation object "in hand"

There are plenty of functions that get you an annotation object...

for example - get the first annotation on the first page

```
var anno = _viewer.annotations.getAnnotationsFromPage(0)[0];
```

similarly, you could get selected annotations

this code will find the first selected annotation (if any)

```
var selectedAnno = _viewer.annotations.getSelected()[0];
```

So, now assuming that either `anno` or `selectedAnno` is not null, congratulations, you have a live reference to an annotation object

## HOWTO: Delete Annotations In WebDocumentViewer (WDV)

Now, as a side note, you could modify the annotation programmatically quite easily from here.. you could for example check what type it is and if it was a text annotation, update the text...

```
f (anno.type == 'text') { anno.text.value = anno.text.value + "\nI added A new Line Here!";  
anno.update(); // NOTE it won't actually change until you call this }
```

## Solving the Problem

so, you might think "hey, is there an `anno.delete()` I could call?"

That would be nice, but no.

you need to know the page the anno is on and the index

"OK fine, so surely I can get the indexes?"

Well, sort of

the annotation object does have a [getPageIndex\(\)](#) function

so in this last case the anno was on page 0 so

```
var annoPageIndex = anno.getPageIndex();
```

and `annoPageIndex` will return 0

but

the anno does not have a `"getIndexOnPage()"` function

it doesn't have a `delete()` function either

so the problem we need to solve is "Given a specific annotation, determine its index within the page where it lives"

For this exercise we will pass in the viewer object as `wdvViewer` and the specific annotation as `anno`

## HOWTO: Delete Annotations In WebDocumentViewer (WDV)

```
unction getAnnoIndex(wdvViewer, anno) { var pageIndex = anno.getPageIndex() var pageAnnos =
wdvViewer.annotations.getFromPage(pageIndex); for (var i = 0; i < pageAnnos.length; i++) { if
(pageAnnos[i] === anno) { return i; } } return null; }
```

The anno is a javascript object being passed by reference so the === operator will ensure that we only return when we find the exact object passed in.

The anno knows what page its on, so we are safe in assuming that the call to getFromPage will include an array that will contain the target anno. However, just in case we do return null if something went wrong

However, in theory we will return the zero based index within the page where the annotation lives

Great, now, we can use this to delete the annotation

```
_viewer.annotations.deleteFromPage(anno.getPageIndex, getAnnoIndex(_viewer, anno));
```

however, note that if the annotation happens to be selected at the time, we can get a nasty issue with "disappearing grips"

to get around that we may want to ensure the selected is false

So, I've wrapped this all up in a nice little utility function deleteAnnotation

```
unction deleteAnnotation(wdvViewer, anno) { var pageIndex = anno.getPageIndex(); var
annoIndex = getAnnoIndex(wdvViewer, anno); if (annoIndex !== null) { if (anno.selected) {
anno.selected = false; anno.update(); } wdvViewer.annotations.deleteFromPage(pageIndex,
annoIndex); } }
```

Then, to really make it super lazy for me, I make a final "convenience function" where I know the name of MY viewer object and use that

```
unction deleteAnno(anno) { deleteAnnotation(_viewer, anno); }
```

This is purely optional but it just makes it so that I don't have to manually pass the viewer in every time I'm calling the delete.

So we can put all this together in one block

## HOWTO: Delete Annotations In WebDocumentViewer (WDV)

```
unction deleteAnno(anno) { deleteAnnotation(_viewer, anno); } function
deleteAnnotation(wdvViewer, anno) { var pageIndex = anno.getPageIndex(); var annoIndex =
getAnnoIndex(wdvViewer, anno); if (annoIndex !== null) { if (anno.selected) { anno.selected =
false; anno.update(); } wdvViewer.annotations.deleteFromPage(pageIndex, annoIndex); } }
function getAnnoIndex(wdvViewer, anno) { var pageIndex = anno.getPageIndex() var pageAnnos =
wdvViewer.annotations.getFromPage(pageIndex); for (var i = 0; i < pageAnnos.length; i++) { if
(pageAnnos[i] === anno) { return i; } } return null; }
```

The only thing you might need to change is the deleteAnno code if you call your viewer something other than `_viewer`

## Binding Delete Annotation to Delete Key Keypress

So, lets say you're good with all this now.. you're cool with how to get selected annotations/annotation and how to delete, but a very common request is "I want to delete the currently selected annotation when the user presses the delete key"

Technically, keyboard events are outside of the scope of DotImage support. They're just standard JavaScript events you can bind directly to or bind using standard jQuery. However, just for the sake of answering a very common question, we'll put together what we already had with a simple keybinding

We kind of need a function to delete selected annotations for this... Since we already have our neat little `deleteAnno(anno)` we'll just write some code to get the selected annotations and delete them

```
unction deleteSelectedAnnos() { var selected = _viewer.annotations.getSelected().flat(1);
_viewer.annotations.deselectAll(); //important to avoid "ghost grips" for (var i =
selected.length - 1; i >= 0; i--) { deleteAnno(selected[i]); } selected = undefined; }
```

Note how we are getting the selected annotations in a flat array (this is because `getSelected()` returns a 2 dimensional array and we just need to simplify this down) and that we walk backward.. this is because if there are multiple annos on a page we want to avoid removing the wrong ones and the easiest way is to walk backward from highest index to lowest.. just trust me on this

Now that you have the delete selected the keybind is really easy... just add this code to your page

## HOWTO: Delete Annotations In WebDocumentViewer (WDV)

```
(document).on('keydown', documentKeyDown); function documentKeyDown(e) { if (e.which == 46) {  
deleteSelectedAnno(); } }
```

The first line is the jQuery selector that gets the whole document and we bind to the keydown event and set our documentKeyDown handler the handler is simply looking for what key you hit - 46 is the the DEL key... so if the key hit was DEL then we call deleteSelected() and voila! we are DONE!

Atalsoft Knowledge Base

<https://www.atalsoft.com/kb2/KB/50430/HOWTO-Delete-Annotations-In-WebDocum...>